











Status

Device Name:	ACA-P2P005	Chain 0 Signal Strength:	-61 dBm
Operating Mode:	Slave	Chain 1 Signal Strength:	-63 dBm
RF Link Status:	Operational	Internal Temperature:	39 °C (102 °F) / 42 °C (108 °F)
Link Name:		Remote Chain 0 Signal Strength:	-62 dBm
Security:	AES-128	Remote Chain 1 Signal Strength:	-64 dBm
Version:	v1.1.2	Remote Power:	35
Uptime:	2 days 00:00:20	GPS Signal Quality:	100 %
Date:	2013-02-22 15:22:07	Latitude / Longitude:	
Duplex:	Full Duplex	Altitude:	133 m (436 ft)
TX Frequency:	24.2 GHz	Synchronization:	Enabled
RX Frequency:	24.1 GHz		
Regulatory Domain:	Other		
Distance:	4,310 m (14,140 ft)		
Current Modulation Rate:	6x (64QAM MIMO)		
Remote Modulation Rate:	6x (64QAM MIMO)		
TX Capacity:	743,664,640 bps		
RX Capacity:	743,416,320 bps		
CONFIG MAC:	00:27:22:DA:16:83		
CONFIG:	Unplugged		
DATA:	1000Mbps-Full		

Monitor

[Performance](#) | [Log](#)

Refresh



	Name	Type	L2 MTU	Tx	Rx
R	BR_P2P_Malembo	Bridge	1598	762.9 Mbps	666.5 Mbps
R	LAN	Bridge	1598	299.1 kbps	751.8 kbps
B	VR-GW01	VRRP		0 bps	0 bps
RM	VR-GW02	VRRP		656 bps	128.3 kbps
R	ether1	Ethernet	1598	302.5 kbps	780.5 kbps
S	ether2	Ethernet	1598	0 bps	0 bps
S	ether3	Ethernet	1598	0 bps	0 bps
S	ether4	Ethernet	1598	0 bps	0 bps
RS	ether5	Ethernet	1598	0 bps	0 bps
X	ether6	Ethernet	1598	0 bps	0 bps
X	ether7	Ethernet	1598	0 bps	0 bps
X	ether8	Ethernet	1598	0 bps	0 bps
	ether9	Ethernet	1598	0 bps	0 bps
R	ether10	Ethernet	1598	764.0 Mbps	672.9 Mbps
R	ether11	Ethernet	1600	126.4 kbps	96.9 kbps
R	vlan3.e11_SAT2	VLAN	1596	1520 bps	1328 bps
R	vlan4.e11_SAT3	VLAN	1596	18.3 kbps	14.4 kbps
R	vlan5.e11_GSM1	VLAN	1596	0 bps	0 bps
R	vlan6.e11_GSM2	VLAN	1596	106.5 kbps	69.3 kbps
R	vlan7.e11_GSM3	VLAN	1596	0 bps	0 bps
R	vlan11.e11	VLAN	1596	0 bps	0 bps
X	ether12	Ethernet	1600	0 bps	0 bps
	ether13	Ethernet	1600	0 bps	0 bps

Bandwidth Test (Running)

Test To:


Start

Protocol: ☒ udp ☐ tcp

Stop

Local UDP Tx Size:

Close

Remote UDP Tx Size: Direction: ▾TCP Connection Count: Local Tx Speed: ▼ bpsRemote Tx Speed: ▼ bps☐ Random DataUser: ▼Password: ▼Lost Packets: Tx/Rx Current: Tx/Rx 10s Average: Tx/Rx Total Average: 

running...

Comment

0 Bridge e9 & e10

0 Bridge e1 - e5

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0





